

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

relational database with object oriented extens

Search

[Advanced Search](#)
[Preferences](#)**Web Results 1 - 10** of about **27,100** for **relational database with object oriented extension API query**. (0.24 s)

Title Index

NET and J2EE · A Comprehensive Solution to the XML-to-**Relational** Mapping Problem ...A Distributed **Object-Oriented Database** System Supporting Shared and ...dret.net/biblio/titles - 977k - [Cached](#) - [Similar pages](#)

UNISQL's Next-Generation Object-Relational Database Management System

useful **object-oriented extensions** emerging from ANSI SQL3. The client **API** callinterface is much like a traditional **relational API** such as those ...portal.acm.org/ft_gateway.cfm?id=234902&type=pdf&dl=GUIDE&dl=ACM - [Similar pages](#)

Course Description

The course also explains how to map an **object-oriented** design to a **relational database** and how to design a multitier **database** application. ...www.scl.com/training/java/SL_330.html - 16k - [Cached](#) - [Similar pages](#)

Method and apparatus for accessing a relational database without ...

C++ allows retrieval of data from a **relational database** through direct access to a Cprogram, but is an **extension** to C for **object-oriented** programming. ...www.freepatentsonline.com/5212787.html - 36k - [Cached](#) - [Similar pages](#)

Open Source Persistence Frameworks in Java

The Hibernate **Query** Language, designed as a "minimal" **object-oriented extension** to SQL, provides an elegant bridge between the **object** and **relational** worlds. ...java-source.net/open-source/persistence - 43k - [Cached](#) - [Similar pages](#)

Object Oriented Application Cooperation Methods with Relational ...

object oriented applications with **relational** databases. persistence of **object** graph, using **API** and how to write **object. oriented query**. ...

ieeexplore.ieee.org/iel5/4297461/4297462/04297568.pdf?arnumber=4297568 -

[Similar pages](#)

[PDF] The Metadata API's baseline requirements

File Format: PDF/Adobe Acrobat - [View as HTML](#)a **relational database** is sufficient for the tasks of supporting and managing. LIGO's metadata. Other types considered included **object oriented** databases ...www.ligo.caltech.edu/docs/T/T980119-00.pdf - [Similar pages](#)

An Intro to Java Object Persistence with JDO

getID()); } **query.close(result)**; The structural differences between Java **object** hierarchies and **relational database** tables makes the challenge of persisting ...www.devx.com/Java/Article/26703/1954?pf=true - 22k - [Cached](#) - [Similar pages](#)

[PDF] Object-Oriented and Object- Relational Database Systems Basic ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)Same type system between DBMS and **API**. %. Expressive power **Object-Relational** DBMSs. O/R DBMS, the next wave (Stonebraker). **Query**. No **Query** ...www.cs.cmu.edu/~natassa/courses/15-823/S01/lectures/4_OO.pdf - [Similar pages](#)

Introduction

Using aspect-oriented approach for building transparent **database API** And **relational database** systems often has **object-oriented extensions** allowing to ...
www.garret.ru/~knizhnik/oodbms.html - 47k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6968344".pn. and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:04
L2	2	"6968344".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:05
L3	2	"7162469".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:06
L4	6	"2002017".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:06
L5	2	"20020174417".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:16
L6	52	class with item with framework and (API or interface) and extension and relationship	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:25
L7	32	class with item with framework and (API or interface) and extension and relationship and (store or reporsitory or database or server) with (updat\$3 or chang\$4 or modif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:28
L8	3	class with item with framework and (API or interface) and extension and relationship and (store or reporsitory or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 with parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:34

EAST Search History

L9	10	class with item with framework and (API or interface) and extension and relationship and (store or reporsitory or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 same parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:38
L10	2	"20030110189".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:36
L11	28	class with item with framework and (API or interface) and extension and relationship and (store or reporsitory or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:39
L12	29	class with item with framework and (API or interface) and extension and (inheretiance or relationship or parent) and (store or reporsitory or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 and instance and type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:20
L13	2	"6343287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:12

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	2	"6343287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:12
L14	867	class with framework and (API or interface) and extension and (inheritance or relationship or parent) and (store or repository or database or server) with (update\$3 or change\$4 or modify\$5) and query\$3 and instance and type and create\$4 with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 13:03
L15	38	class with framework and (API or interface) and extension with item and (inheritance or relationship or parent) and (store or repository or database or server) with (update\$3 or change\$4 or modify\$5) and query\$3 and instance and type and create\$4 with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 13:04
L16	38	class with framework and (API or interface) and extension with item and (inheritance or relationship or parent) and (store or repository or database or server) with (update\$3 or change\$4 or modify\$5) and query\$3 and instance and type and create\$4 with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 13:04